


# 1761 APR Long Range

APR | Small bore

Depending on the selected configuration, the technical specifications and illustration of your rifle will differ.



This ANSCHÜTZ category C sporting rifle (bolt-action rifle) (rimfire or center fire) has been manufactured for the intended use in target shooting. The use of this civil sporting rifle is exclusively subject to the intended use and the respectively valid laws. The model is to be used exclusively for sports use on the approved shooting ranges (for sports disciplines) and may only be used by persons with an appropriate gun license.

Production and model changes are subject to change without prior notice. All colors and sizes approximate. Missprints and errors are reserved. © ANSCHÜTZ

[www.anschuetz-sport.com](http://www.anschuetz-sport.com)

# 1761 APR Long Range

APR | Small bore

**Total weight approx.** . . . . . **4.680 g**  
**Total Length.** . . . . . **1.060 - 1.090 mm**

## Stock

Designation . . . . . XRS Chassis (MDT)  
 Material . . . . . Aluminum, synthetic  
 Length of stock . . . . . 790 - 820 mm  
 Length of pull . . . . . 335 - 365 mm  
 Weight of stock, approx. . . . . 1.780 g  
 Butt plate. . . . . Rubber butt plate

## Barreled Action

Designation . . . . . 1761 APR Long Range  
**With barrel 25.5" (647 mm)**  
 Length of barreled action . . . . . 770 mm  
 Length of barrel . . . . . 25.5" (647 mm)  
 Muzzle diameter . . . . . 22 mm  
 Weight of barreled action, approx. . . . . 2.900 g  
 Mounting platform . . . . . Picatinny rail with 30 MOA pre-tilt

## Trigger

Designation . . . . . 5061 Biathlon  
 Type of trigger . . . . . Two stage trigger  
 Trigger weight, factory set at . . . . . 550 g  
 Adjustment of the trigger weight . . . . . 350 - 1.500 g  
 Cant of the trigger blade - right/left . . . . . 11 mm  
 Adjustment of the trigger blade - forward/backward 17 mm

# 1761 APR Long Range

APR | Small bore

## Caliber

**.22 l.r.**

Number of grooves . . . . .8

Twist rate . . . . .420 mm

## Magazine

**For Caliber .22 l.r.**

Capacity . . . . .10