



A quantum future – the next step. Futuristic design with superlative constructive features. Made for the best. So you can proudly say:

"MY ANSCHÜTZ"





1827 F BIONIC

IN FOCUS

The world is white.

The spectators are going wild, your heart is pumping. Adrenalin surges into your fingertips. The snow crunches under the ski.

You swing into the shooting stand and go to the firing position with a flowing movement. Now you bring yout heartbeat in your body to an relaxed and calm mode. Control and stabilise the motions. An almost impossible undertaking ...

You stand still and focus. You immerse yourself in your task, block out the noise, the target is in sight.

No thinking, only self-belief. Your training becomes instinct, your rifle repeats at lightning speed and is absolutely smooth. The bullet is on its way from the barrel in 3.5 ms. No flinching.

Hit – the white disc flips up!

1827 F BIONIC STOCK AHEAD OF ITS TIME

Demands on a Biathlon rifle are exorbitant: It has to be fast, precise, light and robust but insensitive to ultra-low temperatures. All on a world-class level.


This can only succeed if three components work together: Experience, vision and feedback.

Experience. Like no other name, ANSCHÜTZ stands for progress in Biathlon – more than 95 % of all athletes put their faith in ANSCHÜTZ.

Vision. High-tech extends the limits of what is feasible. Lattice-structures in the grips revolutionise handling. The granulate used in the 3D printing is lighter, more robust and performs better in tensile and fracture tests. Invisible and very strong magnets integrated in the BIONIC stock hold the magazines absolutely securely.

Feedback. The impressions of the athletes and coaches are the inspiration for new experiments.


Experiments become experience.











- 1 Butt plate, versatile adjustable
- 2 Cheek piece with integrated extra cartridge spender
- 3 Biathlon precision rear sight with snow cap
- 4 Snow cap to protect the rear sight
- 5 Sliding safety catch

- 6 Bolt handle of the straight pull action
- 7 Extra cartridge spender
- 8 Magazine holder with integrated magnets
- 9 Nitrided ANSCHÜTZ precision barrel, cold-tested
- 10 Biathlon front sight

- 11 Butt plate locking device
- 12 BIONIC stock
- 13 Grip in Lattice-structure
- 14 Trigger 5020, 90 g 650 g
- 15 Middle hand rest in Lattice-structure
- 16 Magazine release lever
- 17 Magazine, 5 shot, easy to exchange
- 18 Hand stop
- 19 Snow cap to protect the front sight

1827 F PLAY OF COLOURS

COUNTLESS VARIATIONS CAST IN THE SAME MOULD

Economical in weight and components - extremely light and focused on the essentials.

Versatile in appearance: The BIONIC stock is available in every RAL colour (colour-accurate)! The BIONIC stock, produced by 3-D printing can be laquered in over 200 colours - for your individual tone.

As if cast from a single mould.

Play of colours:

(RAL 9003 Signal white)
(RAL 7001 Silver grey)
(RAL 9005 Jet black)
(RAL 3020 Traffic red)
(RAL 2011 Deep orange)
(RAL 1018 Zinc yellow)
(RAL 4008 Signal violet)
(RAL 5015 Sky blue)
(RAL 5002 Ultramarine blue)
(RAL 6002 Leaf green)













1827 F **COMFORT STOCK** UNCOMPROMISINGLY TRADITIONAL

The stock with the tried-and-tested components of an outstanding Biathlon rifle. For lovers of the classic wooden stock.

The extendible butt plate with its hook for the armpit can easily be adjusted to different body sizes: from young to adult. The vertically adjustable cheek piece enhances the individual adjustment.

The rifle that grows with you.

The special shape of the riser block COMFORT provides the biathlete with a consistently outstanding and extremely comfortable hold in position. A clamping piece in addition enables an individual length adjustment of the harness.






Biathlon fascinates millions.

More than 95% of all biathletes worldwide successfully shoot an **ANSCHÜTZ 1827 F Biathlon rifle.**





- 1 Butt plate, versatile adjustable
- 2 Cheek piece, versatile adjustable
- 3 Biathlon precision rear sight with snow cap
- 4 Sliding safety catch

- 5 Bolt handle of the straight pull action
- 6 Magazine holder
- 7 Nitrided ANSCHÜTZ precision barrel, cold-tested
- 8 Biathlon front sight

- 9 Butt plate locking device
- 10 Clamping piece for harness
- 11 Stippled checkering
- 12 Trigger 5020, 90 g 650 g
- 13 Riser block COMFORT
- 14 Magazine release lever
- 15 Extra cartridge spender
- 16 Snow cap to protect the front sight

GOLD FOR GOLD PERFORMANCE

THE GOLDEN ANSCHÜTZ RIFLE FOR GABRIELA KOUKALOVÁ











1827 F

WRITING SPORTS HISTORY

Almost 50 years lie between the two photos - and the proof of how much ANSCHÜTZ has shaped the Biathlon, indeed decisively shaped it. Essential components of today's competition rules stem from Dieter Anschütz: The change from big- to small bore calibers opened up the sport to the general public; more than 95 percent of the athletes worldwide shoot with ANSCHÜTZ rifles. Significant impulses originate from the creative hotbed of ANSCHÜTZ.



Today we are once again on the verge of a technological leap. In cooperation with the umlaut company, 3D printed stocks are being produced which can be adapted to the individual athlete and are close to make-to-order-production. The lattice-structure reduces the weight of the grip and support without any loss of strength of the barrelled action. The bedding is based on a sophisticated milled groove which is coated with synthetic resin.

Each rifle is tested in the cold chamber. Biathlon takes place at temperatures as low as -20 °C – an absolute acid test for the material and a guarantee for athletes that everything will work in competition as it should do. In every situation.

1827 F **THE BARRELED ACTION**SPEED WINS

THE ULTIMATE IN BIATHLON RIFLES

Highly complex interplay of precision engineering and material, high-tech, state-of-the-art production and know-how. Everything in the smallest possible space. Created for the will to hit the target - the will to win under any circumstances and in any conditions.

PRECISION BARREL

Conically tapered. Nitrided surface, hardened at 500 °C. Withstands temperatures as low as -30 °C and still produces excellent results. With a snow cover to provide protection from the weather.

Front sight





BOLT - A REVOLUTION

The Fortner straight pull action enables extremely rapid repeating with a completely stable firing position. The bolt with seven locking-balls for perfect safety.



MAGAZINE

Made of hardened steel.
Blued with a protective layer for long-lasting protection against corrosion. Non-slip, cold-resistant polymer for secure changeover from used to loaded magazines.



TRIGGER - A MASTER STROKE

For ultra-quick trigger release. Virtually noiseless. Minimum trigger weight in accordance with the competition rules with the possibility of adjustment to the needs of the athletes.

The location in the rifle with the decisive moment: 50 high-precision parts in harmony in the tightest of spaces for a single task – creating the perfect "interface". The interface between human and rifle. Near to unique, and meanwhile adapted by other manufacturers.

There is nothing better.



- Adjustable match two-stage trigger 5020, set in factory to 550g, adjustable from 90g - 650g
- Ergonomic and silent safety catch operation

1827 F THE STOCK AND ITS DNA

PAVING THE WAY: THE FORM OPTIMISES THE FUNCTION AND PURPOSE

Bedding area with honeycomb structure The shape? Maybe getting used to. The advantage: undisputed and proven in extreme tests! The **BIONIC stock** was designed by computer. It is the ultimate guintessence of the competition rules of the International Biathlon Union (IBU) and the requirements of the athletes. Precisely calculated for perfect handling, for the highest stress with the lowest possible load and for fatigue-free comfort. The **form** of the grip and the vertically adjustable fore-end is based on the commonalities Cheek piece with integrated extra cartridge spender of dozens of athletes' handprints - every 1827 F contains a piece of successful athlete DNA! The grips are available in three sizes for the market launch. After the marriage of the stock and barrelled action the **bedding area** can be injected with a two-component epoxy resin. This results in a negative of the inner honeycomb structure which adheres immovably. Distribution of forces: Importance is attached to minimum weight with maximum stiffness in the simulation-based bionic design. Exchangeable grip CHEEK PIECE AND BUTT PLATE Why isn't the cheek piece also made of lattice-structure? Because a closed surface irritates the sensitive skin areas less.

Butt plate with hook

This is important for intensive training and competition.

1827 F THE STOCK AND ITS COMPONENTS









1827 F THE STOCK AND ITS COMPONENTS

INPUT FROM THEORY AND PRACTICE













ABOUT

umlaut

umlaut is a global, full-service, cross-industry, end-to-end company that offers advisory and fulfilment services to clients all over the world. In-depth domain expertise, broad practical knowledge and interdisciplinary collaboration allow them to add value, quality and focus to their clients' organisations, services and products, in disruptive times in which industries are increasingly converging.

Within an able and agile collective of 20 consultancies and engineering firms spread across 50 locations all over the world, 4,300 specialised experts and engineers provide innovative solutions and transformations across all industries and their various intersections as well as serving the public sector and developing organisational cultures, structures and processes.

For more information please visit: umlaut.com.

1827 F MODULAR SYSTEM

YOUR PERSONAL 1827 F - ACCORDING TO YOUR WISHES!

1. CHOOSE A BARRELED ACTION





Barreled action equipped with two-stage trigger 5020,

adjustable from 90 g – 650 g trigger weight adjusted to 550 g.

and 5 shot Biathlon magazine.



2. CHOOSE A STOCK





3. CHOOSE A GRIP SIZE

Only available with BIONIC stock









1827 F TECHNICAL SPECIFICATIONS

Depending on the selected configuration the technical specifications of your model 1827 F Biathlon rifle will be different.

The total weight is between 3.456 g – 3.600 g The total length is between 1020 mm – 10140 mm

CONFIGURATION EXAMPLES

Model 1827 F, 21.7" (550 mm) barrel, BIONIC stock, grip size L

Model 1827 F, 21.7" (550 mm) barrel, COMFORT stock

Total length.......1040 mm

Total weightapprox. 3.600 g

Magazine

Number of shots.....5
Weight approx......32 g

Trigger 5020

Kind of trigger.....Two-stage trigger

Adjusted to550 g

Range of adjustment.....90 g - 650 g

Weight approx......170 g


Length of stock

COMFORT stock, oiled

BIONIC stock, laquered

Length of stock	750 mm
Length of pull	360 mm
Weight approx	1.490 g
Butt plate	Aluminum

Barreled action



1827 F **CONFIGURATION**



SELEC	CTABLE COMPONENTS - COMPLETE CONFIGURATION		Selection
\sim	COMFORT stock, walnut oiled		
STOCK	BIONIC stock, grey/black	■	
S	BIONIC stock, laquered in desired RAL-colour	▣	
	Selectable only when selecting the BIONIC stock, no surcharge		
SIZE	Grip S (classic), corresponds to glove size 7.5	B	
GRIP	Grip M (pistol grip), corresponds to glove size 8.5	B	
	Grip L (classic), corresponds to glove size 9.5	B	

RECOMMENDED ACCESSORIES			Selection
	Biathlon rear sight set 6827	•	000932
SHT SET OPTICS	Rubber eyeshade 6700-20	■	001405
SIGHT SET OPTICS	Rear sight extension 1827 F-55	■	008441
S	Sight riser block Biathlon 6866, 8 mm	▣	011702
HAR- NESS	Harness Light, approx. 300 g	▣	011817
¥ ÿ	Harness Feedback, approx. 280 g	▣	015390
	Biathlon sling set – target sling, arm sling und hand stop SLS	▣	011470
target Slings	Target sling 4736, right (length 210 mm)	▣	009188
TAR	Arm sling 4735, left (length 260 mm)	▣	009205
	Arm sling 4732 right/left, (size M, 380 mm)	▣	011151
SOFT	Biathlon soft case 9212, black/blue	▣	009186
SS	Biathlon soft case 9210, black/red	▣	001488

REC	OMMENDED ACCESSORIES	Selection
	5 shot magazine, replacement	001160
	Hand stop SLS with clamping for target sling	
	Thumb rest enlarged, right or left hand version	008030 / 008031
JS	Firing pin for 1827 F Biathlon	001228
MISCELLANEOUS	Mounting tool 4729, for firing pin Fortner Biathlon	
ILAN	Extra cartridge spender for 6 cartridges, to screw on stock	
ISCE	Hook for biathlon butt plate	003417
Σ	Cleaning kit 507 – cord and wicks	
	Damping ring for Biathlon 1827 F-40	
	Bolt handle Biathlon, right or left hand version	003353 / 008024
	Torque wrench 4506, size SW4, 4-12 NM	001176

STOCKS		Selection
COMFORT stock, walnut oiled		014819
BIONIC stock, grey/black - grip size S, M or L	■	
BIONIC stock, laquered in desired RAL-colour	■	

BARRELED ACTIONS		Selection
1827 F Biathlon Sprint nitrided, right hand version]	010067
1827 F Biathlon Sprint nitrided, left hand version]	007659



J.G. ANSCHÜTZ GmbH & Co. KG Jagd- und Sportwaffenfabrik

Daimlerstraße 12 · 89079 Ulm / Germany Fon +49 - (0)731 - 40 12 - 0 Fax +49 - (0)731 - 40 12 - 700 www.anschuetz-sport.com www.facebook.com/OfficialAnschuetz www.youtube.com/AnschuetzGmbH www.instagram.com/AnschuetzGmbH

Your Dealer		

E KD $12/19 \cdot 1.500 \cdot$ Production and model changes reserved · All colors and sizes approximate · Supply of firearms only to the holders of purchasing permit · Misprints, errors and prior sale also reserved © ANSCHÜTZ

1827 F BIONIC From roots and wings

"ANSCHÜTZ researches and produces at high-tech level. We draw on a source of traditional craftsmanship which has never become old-fashioned.

This is a tradition which ultimately means consistency and perseverance and not letting ourselves be seduced by short-lived trends, even if they may be tempting.

We therefore see ourselves as the guardians of excellence ,Made in Germany'. We manufacture almost all the components of our rifles ourselves.

The pride of our employees in ,their' company is based on the knowledge of their extraordinary responsibility – in the same way as the ANSCHÜTZ company is proud of its employees!"



